

## Individual Physical Exam Package (HSIN-CHU)

Cathay Healthcare Management Address : 3F, No. 189, Wuling Rd., North Dist., Hsinchu City , Taiwan Tel : 412-800/Erc direct dialing from mobile phones: places and 02 1

|  |   | Comprehensive Exam  | Comprehensive Exam  |
|--|---|---|---|
| Items  | Descriptions / Prices   | +<br>Cardiopulmonary Images   | +<br>Systemic Images  |
|  | Descriptions / Prices   |   | (M)\$120,000  |
|  |   | (F)\$66,000   | (F)\$125,000  |
| Anesthesia Panendoscopy & Colonfibroscopy<br>with Al Colorectal Polyp Detection<br>Xincluding low-fiber diet   | The use of "narrow band endoscopy imaging (NBI)",<br>CO2 insufflation, Al colorectal polyp detection and<br>customized anaesthesia for gastrointestinal<br>assessments, including inflammation, ulcers, polyps,<br>tumors or hemorrhoids.   | •   | ٠   |
| Fecal probiotics analysis  | The gut microbiome is critical to human health, not<br>only the gastrointestinal system but also the immunity<br>and other organs. By testing specific probiotics, you<br>will be able to gain an initial insight of the intestinal<br>microenvironment. You may be further advised to<br>consider additional nutritional counseling and<br>improve the gastrointestinal system through dietary<br>adjustments.   | •   | ٠   |
| Amylase  | A test to screen gastrointestinal bleeding caused by tumors, ulcers or inflammation.  | •   | •   |
| Lipoprotein A  |   | •   | •   |
| high-sensitivity C-reactive protein  | one of the markers of inflammation in the body.   | •   | •   |
| Homocysteine   | Risk assessment for cardiovascular diseases.  | •   | •   |
| 2-D ECHO of Heart  | Cardiac output assessment and screening of heart valve stenosis, prolapse or regurgitation.   | •   | •   |
| Extra-Cranial Carotid dopplar scan   | Cerebral blood flow assessment for the screening of<br>carotid artery sclerosis or stenosis.  | •   | •   |
| Serum Electrolytes<br>1. Sodium 2. Potassium<br>3. Chloride 4. Calcium   | An assessment for blood electrolyte homeostasis to<br>reflect kidney, endocrine functions or nutritional<br>status.   | •   | •   |
| Total IgE · Common allergens 24 items  | The screening of allergies and testing for 24 Common<br>Allergens Including Microorganisms, Animal Fur,<br>Rodents, Household Dust, Seafood, and Proteins.  | (Choose one of the two<br>options)  | (Choose one of the two options)   |
| 24 Hours Continuous ECG Scan   | Early detection of asymptomatic and paroxysmal arrhythmias.   |   |   |
| NT-ProBNP < CoQ10 < sdLDL  | Risk assessment for cardiovascular diseases.  |   |   |
| Heart Rate Variability   | Indicators for autonomic and parasympathetic<br>nervous system activities, functional indices and<br>homeostasis to determine your emotions or stress<br>condition.   | •   | •   |
| Nutrition Consultation   | A one-on-one consultation with a professional<br>dietitian for the provision of dietary education as well<br>as recommendation based on individual physical<br>status.  | •   | ٠   |
| Pulmonary Function (Screening)   | Assess lung capacity and airway patency to<br>determine the presence of lung diseases or<br>pulmonary function abnormalities.   | •   | •   |
| NSE  | A diagnostic marker for small cell lung cancer.   | •   | •   |
| Low Dose Lung CT   | The best early screening tool for lung cancer! It can<br>be used to specifically screen lung tumors,<br>pneumonia, granuloma or fibrosis.   | •   | •   |
| Body Height  |   | •   | •   |
| Body Weight  |   | •   | •   |
| Waistline  | -   | •   | •   |
|  | -   | -   | •   |
| , , ,  | -   | -   | •   |
| Composition elementary body<br>1. Weight of Muscle<br>2. Weight of Subcutaneous&Visceral Fat<br>3.weight of water<br>4. Basal Metabolic Rate<br>5. Analysis of Obesity<br>6. Assessment of Edema | Basic information established as baseline data for subsequent health exams.   | •   | •   |
| Blood Pressure(sitting)  |   | •   | •   |
| Pulse Rate   |   | •   | •   |
| Physical Examination   | conducted by a physician.   | •   | •   |
| Chest X-ray,PA & L Lat. View   | Pulmonary screening of inflammation, fibrosis,<br>tuberculosis, tumors or cardiomegaly.   | •   | •   |
|  | Risk factors of cardiovascular diseases or<br>atherosclerosis for risk assessments of cardiovascular  | •   | •   |
|  |   |   | •   |
|  |   | •   | •   |
| Total/HDL Ratio  | diseases.   | •   | •   |
| LDL/HDL ratio  | 1   | •   | •   |
| NT-ProBNP  | Risk assessment for cardiovascular diseases.  | •   | •   |
| Fasting blood sugar  | Blood sugar level for diabetes screening.   | •   | •   |
|  | A form of hemoglobin that is measured primarily to  |   |   |
|  | Anesthesia Panendoscopy & Colonfibroscopy<br>with Al Colorectal Polyp Detection<br>%including low-fiber diet<br>Fecal probiotics analysis<br>Amylase<br>Lipoprotein A<br>high-sensitivity C-reactive protein<br>Homocysteine<br>2-D ECHO of Heart<br>Extra-Cranial Carotid dopplar scan<br>Serum Electrolytes<br>1. Sodium 2. Potassium<br>3. Chloride 4. Calcium<br>Total IgE · Common allergens 24 items<br>24 Hours Continuous ECG Scan<br>NT-ProBNP · CoQ10 · sdLDL<br>Heart Rate Variability<br>Nutrition Consultation<br>Pulmonary Function (Screening)<br>NSE<br>Low Dose Lung CT<br>Body Height<br>Body Weight<br>Maistline<br>Body Fat Percentage<br>Ideal Body Weight<br>Body Kas Index<br>Composition elementary body<br>1. Weight of Muscle<br>2. Weight of Muscle<br>2. Weight of Muscle<br>3. Assessment of Edema<br>Blood Pressure (sitting)<br>Pulse Rate<br>Physical Examination<br>Chest X-ray,PA & L Lat. View<br>Triglyceride<br>Total cholesterol<br>HDL-C<br>LDL-C<br>Total/HDL Ratio<br>LD/HDL Ratio | Anesthesia Ponendoscopy & Colonibroscopy<br>Min Al Colorectal Polyp Detection<br>Nine Colorectal Polyp Detectal<br>Ninecontrectal Polyp Detectal<br>Nine Colorectal Polyp Detection | Items         Descriptions / Mices         Cardinguomenty Images<br>(MIRELOCAD<br>UNERCONTROLOGY)           Areathesis Promeduccory & Colomboordy<br>MIR Adducts to Mignet Minister<br>Colombolishes and provide detection of<br>minister and provide detection<br>and other argens. Privating specific provides to<br>consider and prior to prior minister and prior<br>minister and prior to prior minister and prior<br>minister and prior minister and prior minister<br>minister and prior minister and prior minister and prior<br>minister and prior minister and prior minister and prior<br>minister and prior minister and prior minister<br>and prior minister and prior minister and prior<br>minister and prior minister and prior minister<br>and prior ministe |



## Individual Physical Exam Package (HSIN-CHU)

Cathay Healthcare Management Address : 3F, No. 189, Wuling Rd., North Dist., Hsinchu City , Taiwan Tel : 412-800//Fer direct dialing from mobile phanes: places add 02 1

|   |  | Comprehensive Exam  | g from mobile phones, please add Comprehensive Exam                 |  |
|---|--|---|---|--|
| Categories                                | ltems  |   | +   | +  |
|   |  | Descriptions / Prices   | Cardiopulmonary Images  | Systemic Images  |
|   |  |   | (M)\$61,000   | (M)\$120,000   |
|   |  |   | (F)\$66,000   | (F)\$125,000   |
|   | Homeostasis Model Assessment of Insulin<br>Resistance  | Evaluating the ability of insulin to regulate blood<br>sugar and determine if there is insulin resistance. This<br>can be used to assess the risk of diabetes.  | •   | •  |
|   | 7511   | call be used to assess the fisk of diabetes.  | •   | •  |
|   | TSH<br>Free T4   | Screening for hyperthyroidism or hypothyroidism.  | •   |  |
|   | Thyroid ECHO   | Ultrasound screening of goiter or thyroid neoplasm.   | •   | •  |
|   | ,  | Screening of abnormalities such as myocardial   |   |  |
| Cardiovascular<br>and Metabolic<br>System | Resting EKG  | ischemia, arrhythmia, cardiomegaly or bundle branch block.  | •   | •  |
|   | Assessment of Atherosclerosis  | Pulse wave velocity assessment in all four extremities<br>for the screening of systemic arterial sclerosis or<br>stenosis.  | •   | •  |
|   | Whole body Fat, DXA method   | The use of "Dual energy X-ray absorptiometry (DEXA)"<br>for systemic body fat distribution analysis.  | •   | •  |
|   | 10-year CVD Risk Score   | An assessment used for 10-year cardiovascular risk<br>prediction based on basic demographics and lipid<br>profile.  | •   | •  |
|   | GOT, AST   | Liver function testing for hepatitis or liver cirrhosis   | •   | •  |
|   | GPT, ALT   | screening.  | •   | •  |
|   | Total protein  | Liver function, kidney disease and nutritional status   | •   | •  |
|   | Albumin  | assessments.  | •   | •  |
|   | Globulin   | A discussion static for the the   |   | •  |
|   | y-GT   | A diagnostic marker for liver diseases caused by alcohol or drugs.  | ●   | ٠  |
|   | Alkaline phosphatase   |   | •   | •  |
| Diana II                                  | Total bilirubin  | The screening of bile duct anomalies, hemolysis or biliary obstructions.  | •   | •  |
| Digestive<br>System                       | Direct bilirubin   |   | •   | •  |
| 39310111                                  | Anti-HCV   | The screening of hepatitis C virus infections or carriers.  | •   | •  |
|   | HBsAg  | The screening of hepatitis B virus infections or carriers.  | •   | •  |
|   | Anti-HBs   | The screening of immunity against hepatitis B virus.  | ●   | •  |
|   | OB, EIA  | A test to screen gastrointestinal bleeding caused by tumors, ulcers or inflammation.  |   |  |
|   | Upper Abdominal Sonography   | A sonography for screening liver, gallbladder,<br>pancreas, spleen and kidney diseases, including<br>stones, tumors, liver cirrhosis, fatty liver or structural<br>anomalies,   | •   | •  |
|   | Blood urea nitrogen  | Kidney function assessment.   | •   | •  |
|   | Uric acid  | An indicator for hyperuricemia or gout.   | •   | •  |
|   | Creatinine   | Kidney function assessment.   | •   | ٠  |
|   | eGFR   |   | •   | •  |
| Kidney and<br>Urology                     | Urine routine examination and Sediment   | A routine urine test for the screening of renal/bladder<br>diseases, urinary stone, urinary tract infection,<br>diabetes or hepatobiliary disease.  | •   | •  |
|   | Microalbumin   | Early kidney function assessment for glomerulonephropathy.  | •   | ٠  |
|   | Creatinine, U  | X Please collect a mid-stream urine sample in the early morning. (do not collect the first or last part   | •   | •  |
|   |  | during urination)   |   |  |
| Hematology                                | Complete Blood Counts<br>1. Leukocytes 2. Erythrocytes<br>3. Hemoglobin 4. Hematocrit<br>5. MCV 6. MCH 7. MCHC<br>8. RDW 9. Platelet | The use of blood cell counts for inflammation, infection or anemia assessments.   | •   | •  |
|   | Differential Counts<br>1.Neutrophil 2.Lymphocyte<br>3.Monocyte 4.Eosinophil<br>5.Basophil  | The screening of inflammation, infection, allergy or leukemia.  | •   | •  |
|   | Ferritin   | Checking iron storage and evaluating iron<br>deficiency anemia, chronic illness and chronic<br>inflammation.  | •   | •  |
|   | Alpha-fetoprotein  | A diagnostic marker for liver cancer.   | •   | •  |
|   |  | A diagnostic marker for lung adenocarcioma, colon   | •   | •  |
|   | CEA  | cancer or gastrointestinal cancer.  | ~   | -  |
|   |  |   | İ   |  |
| Tumor                                     | CA19-9   | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.   | •   | •  |
| Tumor<br>Biomarker                        | CA19-9<br>PSA  | A diagnostic marker for pancreatic cancer or bile   | Male Only   | Male Only  |
|   | CA19-9   | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.<br>A diagnostic marker for prostate cancer.   |   | Male Only<br>Male Only                                 |
|   | CA19-9<br>PSA  | A diagnostic marker for pancreatic cancer or bile duct cancer.  | Male Only   |  |
|   | CA19-9<br>PSA<br>Free PSA  | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.<br>A diagnostic marker for prostate cancer.<br>A diagnostic marker for ovarian cancer or  | Male Only<br>Male Only  | Male Only  |
|   | CA19-9<br>PSA<br>Free PSA<br>CA 125  | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.<br>A diagnostic marker for prostate cancer.<br>A diagnostic marker for ovarian cancer or<br>endometrial cancer.   | Male Only<br>Male Only<br>Female Only                               | Male Only<br>Female Only                               |
|   | CA19-9<br>PSA<br>Free PSA<br>CA 125<br>CA15-3  | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.<br>A diagnostic marker for prostate cancer.<br>A diagnostic marker for ovarian cancer or<br>endometrial cancer.<br>A diagnostic marker for breast cancer.   | Male Only<br>Male Only<br>Female Only<br>Female Only                | Male Only<br>Female Only<br>Female Only                |
| Biomarker<br>emale Breast                 | CA19-9<br>PSA<br>Free PSA<br>CA 125<br>CA15-3<br>Breast ECHO   | A diagnostic marker for pancreatic cancer or bile<br>duct cancer.     A diagnostic marker for prostate cancer.     A diagnostic marker for ovarian cancer or<br>endometrial cancer.     A diagnostic marker for breast cancer.     Screening breast disease like tumor,or cysts.     Taking multi-angle images of the breasts and using<br>computer reconstruction can more accurately<br>distinguish real lesions from overlapping and uneven<br>breast tissue, improving the accuracy of<br>interpretation. It is recommended for women over 40 | Male Only<br>Male Only<br>Female Only<br>Female Only<br>Female Only | Male Only<br>Female Only<br>Female Only<br>Female Only |



## Individual Physical Exam Package (HSIN-CHU)

Cathay Healthcare Management Address : 3F, No. 189, Wuling Rd., North Dist., Hsinchu City , Taiwan

|  |   | Tel : 412-8006(For direct dialing from mobile phones, please ac   |                        |                    |
|--|---|---|------------------------|--------------------|
| Categories                                   | ltems   | Descriptions / Prices   | Comprehensive Exam     | Comprehensive Exam |
|  |   |   | Cardiopulmonary Images | Systemic Images    |
|  |   |   | (M)\$61,000            | (M)\$120,000       |
|  |   |   | (F)\$66,000            | (F)\$125,000       |
| Female<br>medicine                           | Human papilloma virus test                                  | A test of human pallilomavirus (HPV) for the screening of cervical cancer risks.  | Female Only            | Female Only        |
|  | Gynecological ECHO  | To check structural disease in the uterus or ovaries such as tumors or cysts.   | Female Only            | Female Only        |
| 1ale medicine                                | Testosterone  | A male sex hormone and an indicator for male sexual functions or the efficacy of prostate cancer therapy.   | Male Only              | Male Only          |
|  | KUB & LS Spine Lateral View                                 | The screening of bowel obstruction, gallstones, urinary stone or lumbar/pelvic/hip diseases.  | •                      | •                  |
|  | C-spine X-Ray   | To detect abnormalities in cervical spines, including spurs, spondylolisthesis or intervertebral stenosis.  | •                      | •                  |
|  | Left Hip,BMD  | The use of "dual-energy X-ray absorptiometry (DEXA)"<br>for key points bone mass measurement to screen<br>bone mass reduction or osteoporosis.  | •                      | •                  |
| keletal System                               | VeriOsteo OP  | Utilizing AI algorithms to assess abnormalities in bone mineral density.  |                        |                    |
|  | N-MID Osteocalcin   | It can be used to monitor the osteogenesis function<br>and evaluate the bone replacement rate. The low<br>concentration may mean that the rate of bone<br>formation is too slow; High concentration indicates<br>that the rate of bone replacement is too fast, which<br>may be a precursor of osteoporosis.  | •                      | •                  |
| Eye  | Optical Coherence Tomography                                | Check macular degeneration, retinopathy, and optic neuropathy.  | •                      | •                  |
| Examination                                  | Visual Acuity<br>Ishihara Test for Color vision             | Vision and color differentiation check up.  | •                      | •                  |
| Eye  | intraocular pressure  | Early screening of glaucoma based on the results of   | •                      | •                  |
| Examination<br>ENT<br>Examination            | Hearing Test 500~4000Hz                                     | the intraocular pressure test.<br>Basic hearing test at different frequencies. (500, 1000,<br>2000 or 4000Hz)   |                        | •                  |
|  | Pure Tone Audiometry 500~8000Hz                             | An hearing test using a precision instrument in a confined space. (500, 1000, 2000, 3000, 4000, 6000 or 8000Hz)   | •                      | •                  |
|  | 25-OH Vitamin D,Total                                       | One kind of fat-soluble vitamin lipovitamin used for in vivo calcium and phosphrous homeostasis.  | •                      | ٠                  |
| Nutrient &<br>Mineral                        | Vitamin B12   | Also known as cobalarnin, it can assist the<br>metabolism of croohydrate, protein and fat; maintain<br>the normal function of the nervous system, promote<br>the formation and regeneration of red blood cells,<br>prevent anemia, and reduce the risk factor of<br>vascular sclerosis homocysteine.  | •                      | •                  |
| Nutrient &<br>Mineral                        | Folic acid  | The relationship between folic acid and vitamin B12 is<br>very close, as they are key substances in the<br>hematopoietic system, earning them the designation<br>of hematopoietic vitamins. They are essential<br>elements for the synthesis of red blood cells in the<br>bone marrow, playing a crucial role in cell division.<br>Additionally, they can reduce the risk factors for<br>atherosclerosis, such as homocysteine. | •                      | •                  |
| CT/MRI<br>(At Cathay<br>General<br>Hospital) | Coronary Artery Calcium Scoring                             | It is used to check the level of coronary artery<br>calcification and evaluating the risks of myocardial<br>infarction.   | •                      |                    |
|  | 640-slice CT:Cardiac CTA<br>%Contrast injection is required | A non-invasive method to clearly demonstrate 3D<br>images of coronary artery branches in order to screen<br>myocardial or coronary artery stiffness, stenosis or<br>obstruction.  |                        | •                  |
|  | Brain and carotid MRA                                       | A systemic checkup (brain, neck, lungs, upper<br>abdomen, pelvis and the entire spine) for tumors,<br>degenerative disc disease, cerebrovascular<br>abnormalities or brain parenchymal lesions.   |                        | •                  |
|  | MRI-seven regions   |   |                        | •                  |
| Consultation                                 | Medical Consultation  | A service provided by an attending physician,<br>including report descriptions, patient education and<br>recommendations for subsequent managements or<br>follow-ups.   | •                      | •                  |
|  | Health examination suit                                     | · · · · · · · · · · · · · · · · · · ·   | •                      | •                  |

Notes:

(1) All of the above health services will be conducted in either Min-An or Tai-An Clinic, excluding imaging examinations in which will be conducted in Cathay General Hospital. We have the right to change inspection contents, items or service fees. In case of any amendments, shall you adopt the most recent updates.
 (2) If the above health examination programs were not to your satisfaction, please don't hesitate to contact us for further information or customized health examination programs.
 (3) The contents of the health examination package cannot be exchanged or refunded.
 (4) Expiration Date:2025.01.01~2025.12.31